State of South Dakota Issued: 4-1-2015

Page 31
Release 3
Effective: 5-1-2015

(T)

(T)

1. APPLICATION AND REFERENCE

1.10 REFERENCE TO OTHER PUBLICATIONS

A. The following publications are available for inspection in the Public Reference room of the Tariff Division at the main building of the Federal Communications Commission located at 1919 M Street N.W., Washington, D.C., and may be obtained from the Federal Communications Commission's commercial contractor:

TITLE

CC Docket No. 83-1145, Phase I Memorandum Opinion and Order (Including Appendices A, B, and C) Adopted: May 31, 1985 Released: June 12, 1985

Part 64.401, Appendix A, of the Federal Communications Commission's Rules and Regulations, as set forth in: Gen. Docket No. 87-505 Report and Order Adopted: October 27, 1988

Adopted: October 27, 1988 Released: November 17, 1988

National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4

CenturyLink Operating Companies Tariff F.C.C. No. 11

B. The following publication may be obtained by contacting the Company Account Representative:

TITLE

Owest Corporation Service Interval Guide

Qwest Corporation Tandem Sectorization Guide

Page 33.2
State of South Dakota Release 3
Issued: 4-1-2015 Effective: 5-1-2015

2. GENERAL REGULATIONS

2.3 OBLIGATIONS OF THE CUSTOMER

2.3.10 JURISDICTIONAL REPORT REQUIREMENTS

F. Identification and Rating of VoIP-PSTN Traffic (Cont'd)

VoIP-PSTN Traffic and associated facilities identified in accordance with this tariff section will be billed at rates equal to the Company's applicable tariffed interstate switched access rates as set forth in CenturyLink Operating Companies Tariff F.C.C. No. 11 when applicable based on the schedule shown above.

- 1. Calculation and Application of Percent-VoIP- Usage Factors
- a. The Company will determine the number of VoIP-PSTN Traffic minutes of use (MOU) to which interstate rates will be applied under B, preceding, by applying an originating Percent VoIP Usage (PVU) factor to the total intrastate access MOU originated by a Company end user and delivered to the customer and by applying a terminating PVU factor to the total intrastate access MOU terminated by a customer to the Company's end user.
- b. The Company will use state average data and the customer provided Facility PVU to determine the monthly recurring credit for terminating VoIP-PSTN Traffic.
- c. The customer will calculate and furnish to the Company an originating PVU factor representing the whole number percentage of the customer's total originating intrastate access MOU that the customer exchanges with the Company in the LATA that is received from the Company and that is terminated in IP format and that would be billed by the Company as intrastate access MOU.
- d. The customer will calculate and furnish to the Company a terminating PVU factor representing the whole number percentage of the customer's total terminating intrastate access MOU that the customer exchanges with the Company in the LATA that is sent to Company and which originated in IP format and that would be billed by the Company as intrastate access MOU.
- e. The customer shall not modify their reported PIU factor to account for VoIP-PSTN Traffic.
- f. The customer will calculate and furnish to the Company a Facility PVU factor representing the whole number percentage of the customer's total monthly recurring switched transport charges that are associated with the intrastate access MOU included in the PVU factor.

(T) (T)

State of South Dakota

Issued: 4-1-2015

Release 3
Effective: 5-1-2015

2. GENERAL REGULATIONS

2.3 OBLIGATIONS OF THE CUSTOMER (Cont'd)

2.3.11 DETERMINATION OF JURISDICTION FOR MIXED INTERSTATE AND INTRASTATE ACCESS SERVICE BILLING

When an Access Service Bill (as described in 13.3.6) contains both interstate and intrastate billing, the jurisdiction will be determined as follows:

- If the customer's estimate of the interstate charges on the bill constitutes more than ten percent of the total charges on that bill, the bill will be provided in accordance with the applicable rules and regulations of CenturyLink Operating Companies Tariff F.C.C. No. 11.
- If the customer's estimate of the interstate charges on the bill constitutes ten percent or less of the total charges on that bill, the bill will be provided in accordance with this Tariff.

2.3.12 DETERMINATION OF INTRASTATE CHARGES FOR MIXED INTERSTATE AND INTRASTATE ACCESS SERVICE

A. PIU

For all Access Service except those services as set forth in 2.3.11, preceding, where mixed interstate and intrastate Access Service is provided, all charges (i.e., nonrecurring, monthly and/or usage) including optional features charges, will be prorated between interstate and intrastate. The PIU factors provided in the jurisdictional reports as set forth in 2.3.10, preceding, will serve as the basis for prorating the charges. The percentage of an Access Service to be charged as interstate is applied in the following manner:

- 1. For monthly and nonrecurring chargeable rate elements, multiply the percent interstate use times the quantity of chargeable elements, times the stated tariff rate per element. In the event that the customer has provided a separate percent interstate use for terminating access for FGD, the projected PIU factor for originating access minutes of use will be used to determine the apportionment of charges.
- 2. For usage-sensitive (i.e., access minutes and calls) chargeable rate elements, multiply the percent interstate use times actual use (i.e., measured or Company assumed average use), times the stated tariff rate.

The PIU factor will change as revised usage reports are submitted as set forth in 2.3.10, preceding.

(T) (T)

SECTION 2
Page 34

Page 35
State of South Dakota Release 4
Issued: 4-1-2015 Effective: 5-1-2015

2. GENERAL REGULATIONS

2.3 OBLIGATIONS OF THE CUSTOMER

2.3.12 DETERMINATION OF INTRASTATE CHARGES FOR MIXED INTERSTATE AND INTRASTATE ACCESS SERVICE (Cont'd)

B. CCSAC PIU and POM

The CCSAC PIU and POM reports as set forth in 2.3.10, preceding, will serve as the basis for prorating the charges. The percentage of a CCSAC rate element to be charged as intrastate is applied in the following manner:

- 1. For the following chargeable rate elements: CCSAC Entrance Facility, Direct Link Transport, CCS Links, STP Port, Multiplexing, TCAP message charges, and all nonrecurring charges; multiply one hundred percent minus the CCSAC PIU times the quantity of chargeable elements times the stated Tariff rate per element.
- 2. For chargeable rate elements associated with ISUP Call Set-up requests, multiply the percent intrastate use (100 minus the sum of the CCSAC PIU plus the CCSAC POM) times the actual use times the stated Tariff rate.
 - The CCSAC PIU and POM factors will change as revised declarations are submitted as set forth in 2.3.10, preceding.
- C. When mixed interstate and intrastate Access Service is provided on those services set forth in 2.3.11, preceding, and the jurisdiction of the service is determined in accordance with 2.3.11, preceding, to be an interstate service, one-hundred percent (100%) of all recurring rates (i.e., daily and monthly) and all nonrecurring charges of CenturyLink Operating Companies Tariff F.C.C. No. 11, will apply. If the jurisdiction of the service is determined to be an intrastate service, one-hundred percent (100%) of the charges in this Tariff will apply.

(T)

Page 94
State of South Dakota Release 3
Issued: 4-1-2015 Effective: 5-1-2015

2. GENERAL REGULATIONS

2.7 SHARED USE REGULATIONS (Cont'd)

2.7.3 SWITCHED DS3 FACILITY WITH CCSAC SERVICE

Shared Use may occur when Switched Access Service, as set forth in Section 6, following, and CCSAC Service, as set forth in Section 20, following, are provided over the same DS3 facility. The DS3 facility must be ordered, provided and rated from Section 6 until the customer chooses to use a portion of the facility for CCSAC Service.

When the customer chooses to use a portion of the available capacity (i.e., DS1) of a DS3 facility for providing CCSAC, the customer shall place an order for each individual CCSAC Service from Section 20, following, and specify the channel assignment for the Shared Use facility. The customer must dedicate, at a minimum, one DS1 facility for the CCS Links. Since a minimum of one DS1 is utilized for CCS Links, the number of channels apportioned for CCSAC will be in multiples of 24 channels. All rates and charges will be apportioned as set forth in 2.7.1, preceding.

Where PLTS or Switched Access Service is provided and a portion of the facility is utilized for Shared Use to a Hub, rates and charges are apportioned for the facility to the Hub as set forth in 2.7.1, preceding, and individual service rates and charges for CCSAC apply from the Hub to the Company STP as set forth in Section 20, following.

2.7.4 PLTS AND SWITCHED ACCESS SERVICE PROVISIONED WITH AN OPTICAL INTERFACE

When a customer chooses to use a portion of the available capacity of a PLTS provisioned with an optical interface, all rates and charges are apportioned as set forth in 2.7.2, preceding. The optical interface is ordered and provided from Section 7, of CenturyLink Operating Companies Tariff F.C.C. No. 11. The rate for the optical interface as set forth in 6.8, following, is for the billing of Shared Use only.

(T)

State of South Dakota Release 2
Issued: 4-1-2015 Effective: 5-1-2015

5. ORDERING OPTIONS FOR ACCESS SERVICES

5.2 ACCESS ORDER (Cont'd)

B. For WATS Access Service provided on a dual jurisdiction basis; i.e., interstate and intrastate, the WATS access line and associated WATS Access Service options are provided subject to the terms and conditions of CenturyLink Operating Companies Tariff F.C.C. No. 11. The intrastate FGC or FGD Switched Access Service provided in conjunction with WATS Access Service shall be ordered as set forth in this section.

For WATS Access Service provided on a Shared WATS basis; i.e., intrastate interLATA and intrastate intraLATA, the service will be provided jointly by the Company and an Interexchange Carrier. The WATS access line is provided subject to the terms and conditions of the Company's Exchange and Network Services Catalog, Section 7. The Company provides the WATS access line, transports the intraLATA traffic and bills both the WATS access line and intraLATA usage to the end user out of the Company's Exchange and Network Services Catalog. The Interexchange Carrier transports the interLATA traffic and bills interLATA usage to the end user at the IC's applicable WATS usage rates. The intrastate FGC or FGD Switched Access Service provided in conjunction with WATS Access Service shall be ordered as set forth in this section.

For 800 service provided on a Complementary basis; i.e., intrastate interLATA and intrastate intraLATA, the service may be provided jointly by the Company and an Interexchange Carrier. The 800 Service Number is provided subject to the terms and conditions of the Company's Exchange and Network Services Catalog, Section 7. The Company provides the 800 Service Number to be associated with an individual line or trunk, transports the intraLATA traffic and bills both the 800 Service Number and intraLATA usage to the end user out of the Company's Exchange and Network Services Catalog. The Interexchange Carrier transports the interLATA traffic and bills interLATA usage to the end user at the IC's applicable WATS usage rates. The intrastate trunkside Switched Access Service provided in conjunction with the 800 service shall be ordered as set forth in this section.

(T)

SECTION 5
Page 10

(T)

SECTION 5

Page 16
State of South Dakota
Release 4
Issued: 4-1-2015
Effective: 5-1-2015

5. ORDERING OPTIONS FOR ACCESS SERVICES

5.2 ACCESS ORDER

5.2.2 ACCESS ORDER MODIFICATIONS (Cont'd)

D. Expedited Order Charge

When placing an Access order for service(s) for which standard intervals exist, a customer may request a Service Date that is prior to the standard interval Service Date. A customer may also request an earlier Service Date on a pending standard or negotiated interval Access Order. If the Company agrees to provide the service on an expedited basis, an Expedited Order Charge will apply.

A customer may request a change of end user's premises within the same SWC. When this occurs, the Service Date is changed to reflect the standard interval. If the customer requests an earlier Service Date, an Expedited Order Charge will apply.

Expedited Order Charges will not apply if the revised interval to a pending order is equal to or longer than the standard interval for that service.

When an expedited Service Date is missed, the Expedited Order Charge will apply unless the missed Service Date is caused by the Company.

C. The Expedited Order Charge will be applied when the customer requests a service date that is prior to the standard interval service date as set forth in the Qwest Corporation Service Interval Guide (SIG) on an order or when a customer requests an earlier service date on a pending standard or negotiated interval order.

The Expedited Order Charge, as set forth below, will apply on a per order basis for each day the service date is advanced.

	USOC	ONRECURRING CHARGE	
Per day advanced	EODDD	\$200.00	(T)

The Expedited Order Charges will be billed in addition to other applicable nonrecurring charges.

Page 17
State of South Dakota

Issued: 4-1-2015

Page 17
Release 3
Effective: 5-1-2015

6. SWITCHED ACCESS SERVICE

6.1 GENERAL

6.1.2 RATE CATEGORIES

A.2. (Cont'd)

d. Hubbing

Hubbing arrangements requested from the SWC to a hub location, or from one hub location to a different hub location, shall be ordered out of this section as DTT for Switched Access only. Hubbing arrangements ordered from Section 7 of CenturyLink Operating Companies Tariff F.C.C. No. 11, for the provision of Shared Use services can be utilized for both PLTS and Switched Access Service.

When the SWC is in the same wire center building as an end office, access tandem and/or hub, the customer must order DTT from the SWC as set forth in 1. and 2., preceding. A multiplexing function performed in the SWC for an EF is not a hubbing arrangement.

A hub is a Company designated wire center, other than the SWC, at which multiplexing functions are performed. Hubbing allows the customer to terminate a DTT facility to a hub so that the facility can be de-multiplexed to a lower capacity and the lower capacity DTT facility is then routed to an access tandem, end office or another hub. When the customer requests DTT from the SWC to a hub and facilities from the hub to an access tandem, the customer must order DTT from the hub to the access tandem and TST from the access tandem to end offices subtending that tandem.

Multiplexing functions for EF and DTT facilities are described in 4., following. Hub locations and the types of multiplexing available at each location for DS1 facilities are specified in the NECA Tariff F.C.C. No. 4. For DS3 facilities, the Company will work cooperatively with the customer to provide the desired hubbing arrangements.

3. Interface Groups

Four Interface Groups are provided for terminating Switched Transport at the customer's premises. Each Interface Group provides a specified premises interface (e.g., two-wire, four-wire, DS1, etc.). Where transmission facilities permit, the individual transmission path between the customer's premises and the first point of switching may, at the option of the customer, be provided with optional features as set forth in 4., following.

(T)

Page 71
State of South Dakota Release 3
Issued: 4-1-2015 Effective: 5-1-2015

6. SWITCHED ACCESS SERVICE

6.3 COMMON SWITCHING AND TRANSPORT TERMINATION OPTIONAL FEATURES

6.3.1 COMMON SWITCHING OPTIONAL FEATURES (Cont'd)

P. WATS Access Service (WATS)

At the option of the customer, WATS Access Service as specified following may be provided at Company designated end office switches, referred to as WATS Serving Office(s) (WSO). WATS Serving Offices are identified in National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4. WATS Access Service is provided in conjunction with FGC or FGD Switched Access Service and any compatible Private Line Transport Service, referred to as WATS Access Line(s). The WATS Access Line as described in 5.2, preceding, is required to connect the WSO to the end user's premises.

WATS access lines are available for intrastate service as a shared WATS access line or a dual jurisdiction WATS access line as set forth in 5.2, preceding.

For WATS Access Service provided on a dual jurisdiction basis, i.e., interstate and intrastate, the following applies:

- The WSO is capable of performing the necessary routing, screening and recording functions for 800/800-type service, Outward WATS and similar services and is provided only for use at the closed end of such services.
- WATS Access Service can be arranged for originating-only, terminating-only or two-way calling, depending on the specific arrangement employed. Dial pulse or dual tone multifrequency address signaling and either loop start or ground start supervisory signaling is used to work with the WATS Access line ordered subject to the terms and conditions of CenturyLink Operating Companies Tariff F.C.C. No. 11.
- WATS Access Service options are available in conjunction with WATS Access Service. These options are provided in Company designated WSO(s) and are available for use with WATS Access Service only. WATS Access Service options are available in conjunction with FGC and FGD as specified in CenturyLink Operating Companies Tariff F.C.C. No. 11.

SECTION 6

(T)

State of South Dakota
Release 3
Issued: 4-1-2015
Effective: 5-1-2015

13. ADDITIONAL ENGINEERING, ADDITIONAL LABOR AND MISCELLANEOUS SERVICES

13.3 MISCELLANEOUS SERVICES (Cont'd)

13.3.2 RESTORATION PRIORITY

Existing Restoration Priority (RP) was superseded by Telecommunications Service Priority (TSP), as specified in Section 13.3.7, following, on September 10, 1990. Existing RP arrangements remain in effect for thirty (30) months until March 10, 1993. If RP Service is converted to TSP, the customer will incur the Priority Restoration Level Implementation Nonrecurring Charge as specified in 13.4.3.D., following.

13.3.3 Interexchange Carrier Subscription

A. Description

Interexchange Carrier (IC) Subscription is a procedure whereby an end user or payphone service provider (PSP) may select and designate to the Company an IC to access without dialing an access code. This procedure applies for both interLATA and intraLATA calls. This IC is referred to as the end user's or PSP's primary IC (PIC). An end user or PSP may select one primary IC for both interLATA and intraLATA service, or they may choose to have two primary ICs, one for interLATA service and a different IC for intraLATA service.

The IC Subscription procedure applies to Telephone Exchange Service lines and/or trunks, Switched Access Lineside connections, Centrex-type lines and Public Access Line (PAL) Service.

• For IC Subscription pay telephones, the PSP will select and designate to the Company an IC to access, without dialing an access code, for intraLATA calls.

Should a caller wish to use the services of an IC other than the primary IC, it is necessary for the caller to dial the IC's access code(s) to reach that IC's service(s).

The terms, conditions, rates and charges for interLATA IC Subscription are found in CenturyLink Operating Companies Tariff F.C.C. No. 11, Section 13.

The terms and conditions for intraLATA IC Subscription are following.

(T)

SECTION 13
Page 3

State of South Dakota Release 4
Issued: 4-1-2015 Effective: 5-1-2015

13. ADDITIONAL ENGINEERING, ADDITIONAL LABOR AND MISCELLANEOUS SERVICES

13.3 MISCELLANEOUS SERVICES

13.3.3 INTEREXCHANGE CARRIER SUBSCRIPTION (Cont'd)

- B. Terms and Conditions
 - 1. Charge Application for IC Subscription
 - a. End users or PSPs placing orders for new service will be asked to select a primary IC at the time they place an order with the Company for Exchange Service, Switched Access Lineside connection, Centrex-type service or PAL Service. There will be no charge for this selection.
 - b. Subsequent to the installation of Telephone Exchange Service, Switched Access Lineside connection, Centrex-type service or PAL Service, for any change in selection, including a change from one access code to another access code for the same IC, a nonrecurring charge applies.
 - c. When end users or PSPs simultaneously choose or change an intraLATA and interLATA primary IC, a PIC change charge from CenturyLink Operating Companies Tariff F.C.C. No. 11, Section 13, will apply in addition to the applicable charge as set forth in D., following.
 - d. The nonrecurring charge for a primary IC change is billed to the end user who is the subscriber to the Telephone Exchange Service, Switched Access Lineside connection, Centrex-type service or to the PSP of PAL Service. However, an IC may, at its option, pay the charge for any end user and/or PSP at any time, or as prescribed by the Company, when the IC has specified that the PIC change request is being made as the result of an end user/PSP disputed PIC change reported to the alleged authorized carrier. The nonrecurring charge for a PIC change is set forth in D., following.
 - e. The applicable primary IC change charge as set forth in D., following, will be determined based on whether the change is requested through manual or electronic means.
 - (1) A manual change is defined as a change submitted to a customer service representative from an end user request or by a wholesale provider request.
 - (2) An electronic change is defined as a change submitted by an IC to the Company through the Regional Subscription System (RSS) or processed from an electronic source such as a Company sponsored website, regardless of whether some manual processing is required.

(T) (T)

SECTION 13
Page 4

Page 3
State of South Dakota
Release 6
Issued: 4-1-2015
Effective: 5-1-2015

20. COMMON CHANNEL SIGNALING NETWORK (CCSN)

20.2 SERVICE DESCRIPTION

20.2.1 COMMON CHANNEL SIGNALING ACCESS CAPABILITY (CCSAC) (Cont'd)

A. CCS Link

CCSAC is provided by a CCS Link. The CCS Link provides digital bidirectional transmission and operates at a DS0-A level (i.e., 56 kbps of CCS7 signaling data and 8 kbps of control/supervisory data). Each DS0-A channel (link) occupies a single DS0 (i.e., 64 kbps) channel of a 24 channel DS1 digital transmission system. The DS0-A channel (link) is multiplexed into a DS1 format for hand off at the customer's SPOI. One STP Port is required for each 56 kbps signaling link utilized for CCSAC at the Company STP. The customer's SPOI and the Company's STP or FSPOI, wire center must be located within the same LATA. Customer connections at an FSPOI will only provide signaling access for the LATA served by the FSPOI. Customer connections for multiple LATAs, where available, must be made at the Company STP. The STP Port is the POT to the signal switching capability of the STP and is dedicated to the customer. The CCS Link is transported via an Entrance Facility and a Direct Link Transport (DLT) facility as described in A. and B., following, and is utilized exclusively for connecting the customer's CCS network and the Company's CCSN for the transmission of network control signaling data only.

B. Entrance Facility

The Entrance Facility provides the connection from the customer's SPOI to the serving wire center (SWC) of the customer's SPOI on a dedicated DS1 facility ordered as set forth in this section and is utilized exclusively for the transmission of network control signaling data only. The customer may utilize an existing DS1 Entrance Facility previously ordered from this section for additional CCS Links or order a new DS1 Entrance Facility from this section. The customer may also choose to utilize a portion (i.e., DS1) of an existing DS3 facility under the regulations of Shared Use. The DS3 facility can only be ordered from Section 6, preceding, or Section 7, of CenturyLink Operating Companies Tariff F.C.C. No. 11. When the customer chooses to use a portion of an existing DS3 facility, the customer must allocate, at the minimum, one dedicated DS1 for the provision of the signaling links. Rate applications for Shared Use are set forth in 2.7, preceding.

C. Direct Link Transport (DLT)

The DLT provides for the transmission facilities between the SWC of the customer's SPOI and the Company's STP or FSPOI. The customer has the option of ordering a DS1 DLT facility from this section, utilized exclusively for the transmission of network control signaling data only, or a single DS0-A channel (i.e., 64 kbps) of a 24 channel DS1 facility. The customer may utilize an existing DS1 DLT facility previously ordered from this section for additional CCS Links or order a new DS1 DLT or a DS0 DLT facility.

(T) (T)

Page 4
State of South Dakota
Release 6
Issued: 4-1-2015
Effective: 5-1-2015

20. COMMON CHANNEL SIGNALING NETWORK (CCSN)

20.2 SERVICE DESCRIPTION

20.2.1 COMMON CHANNEL SIGNALING ACCESS CAPABILITY (CCSAC)

C. Direct Link Transport (DLT) (Cont'd)

Company hubbing arrangements can be utilized for CCSAC. If the customer has an existing DS3 facility between the SWC of the customer's premises and a Company Hub, ordered and provisioned as set forth in Section 6, preceding, or Section 7, of CenturyLink Operating Companies Tariff F.C.C. No. 11, the customer may utilize a portion (i.e., DS1) of the existing DS3 facility for the CCS Link(s) under the provisions of the Shared Use regulations as set forth in 2.7, preceding. In addition, the customer must order the DS1 or DS0 DLT from the Company Hub to the Company STP or FSPOI.

When the customer orders a DS1 DLT facility from the SWC of the customer's SPOI or a Company Hub to a Company STP or FSPOI, the customer must also order a DS1 to DS0 Multiplexer at the Company STP or FSPOI for termination into the STP Port. When the customer orders a DS0 DLT channel, the customer must also order a DS1 to DS0 Multiplexer at the SWC of the customer's SPOI. Multiplexing rates are set forth in 20.8, following.

(T)

Page 8
State of South Dakota Release 4
Issued: 4-1-2015 Effective: 5-1-2015

20. COMMON CHANNEL SIGNALING NETWORK (CCSN)

20.3 RATE CATEGORIES (Cont'd)

20.3.2 LIDB RATE CATEGORIES AND APPLICATIONS

LIDB Service is a per query Switched Access Service and is not subject to rate categories as set forth in 6.1.2, preceding. LIDB is billed on a per Access Query basis and a per Validation Query basis. The Access Query represents the transport from the STP to the SCP and back. The Validation Query represents the actual verification of LIDB information. The query rates are applicable to all completed queries regardless of the results of the validation.

The nonrecurring rate category for LIDB Service is on a per OPC basis. Any change in a LIDB OPC will be treated as a discontinuance of the existing OPC and an installation of a new OPC as set forth in 5.2.5, preceding.

20.4 REPORT REQUIREMENTS

20.4.1 CCSAC NETWORK MANAGEMENT

The customer shall provide semi-annually a CCSAC Network Management Report. The CCSAC Network Management Report requirements are described in Technical Reference 77342. The Company will use the report information in its own effort to further project CCSN facility requirements.

20.5 ORDERING, SERVICE PROVISIONING AND PERFORMANCE REQUIREMENTS

20.5.1 ORDERING REQUIREMENTS

A. CCSAC Ordering Requirements

When a customer orders CCSAC, the customer must specify the customer STP premises, the number of CCS Links and the service (application) requiring CCSAC connectivity. One STP Port is provided for each link ordered. In addition, the customer must specify, at a minimum, information for the Entrance Facility and the DLT as described following.

The customer must have capacity available on an existing DS1 Entrance Facility (ordered and provisioned from this section) or a DS3 facility (ordered and provisioned from Section 6, preceding, or Section 7, of CenturyLink Operating Companies Tariff F.C.C. No. 11) between the customer's SPOI and the SWC of the customer's SPOI with a compatible interface or request a DS1 Entrance Facility. If the Entrance Facility is existing, the customer shall provide the Circuit Facility Assignment (CFA) of the existing facilities that will be utilized.

(T) (T)

State of South Dakota Release 5
Issued: 4-1-2015 Effective: 5-1-2015

20. COMMON CHANNEL SIGNALING NETWORK (CCSN)

20.5 ORDERING, SERVICE PROVISIONING AND PERFORMANCE REQUIREMENTS 20.5.1 ORDERING REQUIREMENTS

A. CCSAC Ordering Requirements (Cont'd)

In addition the customer must specify the type of DLT facility, DS1 or DS0, to be utilized or provided between the SWC of the customer's SPOI and the Company's STP or FSPOI.

The Company will allow hubbing arrangements in association with CCSAC. If the customer has an existing DS3 facility (ordered and provisioned from Section 6, preceding, or Section 7, of CenturyLink Operating Companies Tariff F.C.C. No. 11) to a Company Hub, the customer may use a portion of the DS3 facility (i.e., DS1) for the CCS Link(s) from the SWC of the customer's SPOI to the Company Hub and then order the DS1 or DS0 DLT from the Company Hub to the Company's STP or FSPOI. If the customer requests a DS1 DLT, multiplexing equipment must be ordered at the Company's STP or FSPOI. CCSAC orders are subject to the provisions (e.g., access order intervals, modification charges, cancellation charges and minimum periods) specified in Section 5, preceding. When a customer orders CCSAC in association with other services (e.g., FGD with SS7 Out of Band Signaling for call set-up), separate orders shall be issued.

B. LIDB Ordering Requirements

When a customer orders LIDB, the customer must specify, per access order, the LIDB Originating Point Code(s), Location Identification Code(s) and projected percent of interstate use that will access the Company's LIDB. LIDB orders are subject to the provisions (e.g., access order intervals, modification charges, cancellation charges and minimum periods) as specified in Section 5, preceding.

(T) (T)

SECTION 20 Page 9