

NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 12" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.


REV.	DATE	BY	DESCRIPTION	CHK.
B	9/28/15	JL	ISSUED FOR REVIEW	
A	12/9/14	JL	ISSUED FOR REVIEW	

PROJECT NO. 10395700

TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

AGRICULTURAL- FULL TOP SOIL SEGREGATION W/DRAIN TILES

DRAWN BY: DAH	DATE: 08/18/14	DWG. NO.	REV.
CHECKED BY: DAH	DATE: 08/18/14	P12-54-SD	B
SCALE: N.T.S.	APP.:		



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 12" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.


TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

UPLAND CONSTRUCTION FULL TOP SOIL SEGREGATION

REV.	DATE	BY	DESCRIPTION	CHK.
B	9/28/15	JL	ISSUED FOR REVIEW	
A	12/9/14	LBJ	ISSUED FOR REVIEW	

PROJECT NO. **10395700**

DRAWN BY: MR	DATE: 09/15/14	DWG. NO.	REV.
CHECKED BY: RL	DATE: 09/15/14	P12-55-SD	B
SCALE: N.T.S.	APP.:		



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 12" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.


TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

UPLAND CONSTRUCTION DITCH LINE ONLY TOP SOIL SEGREGATION

REV.	DATE	BY	DESCRIPTION	CHK.
B	9/28/15	JL	ISSUED FOR REVIEW	
A	12/9/14	LBJ	ISSUED FOR REVIEW	

PROJECT NO. **10395700**

DRAWN BY: MR	DATE: 09/15/14	DWG. NO.	REV.
CHECKED BY: RL	DATE: 09/15/14	P12-56-SD	B
SCALE: N.T.S.	APP.:		



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 12" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.


TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

HEAVILY FORESTED LANDS, WETLANDS AND UPLAND

REV.	DATE	BY	DESCRIPTION	CHK.
B	9/28/15	JL	ISSUED FOR REVIEW	
A	12/9/14	LBJ	ISSUED FOR REVIEW	

PROJECT NO. 10395700

DRAWN BY: JWH	DATE: 09/15/14	DWG. NO.	REV.
CHECKED BY: DAH	DATE: 09/19/14	P12-57-SD	B
SCALE: N.T.S.	APP.:		



NOTES:

- ① DEPTH OF TOP SOIL SEGREGATED BASED UPON SITE-SPECIFIC CONDITIONS; MAX 18" INCHES, MIN-ACTUAL DEPTH OF TOP SOIL.
- ② ACTUAL WIDTH OF ROW WILL VARY DEPENDING UPON DEPTH OF TOP SOIL TO BE SEGREGATED.
- ③ DEPTH OF COVER BASED UPON LANDOWNER OR STATE SPECIFIC REQUIREMENTS.

TYPICAL RIGHT-OF-WAY CONFIGURATION FOR SOUTH DAKOTA

SCRUB SHRUB SATURATED WETLANDS

REV.	DATE	BY	DESCRIPTION	CHK.
B	9/28/15	JL	ISSUED FOR REVIEW	
A	12/9/14	LBJ	ISSUED FOR REVIEW	

PROJECT NO. **10395700**

DRAWN BY: JWH	DATE: 09/15/14	DWG. NO.	REV.
CHECKED BY: DAH	DATE: 08/18/14	P12-58-SD	B
SCALE: N.T.S.	APP.:		